

N83447.AR.000441  
NAS FORT WORTH  
5090.3a

LETTER TRANSMITTING THE REVISED FINAL WORK PLAN ADDENDA FOR RISK BASED  
ASSESSMENT AND CLOSURE OF SOLID WASTE MANAGEMENT UNIT AND AREA OF  
CONCERNS NAS FORT WORTH TX  
4/29/1999  
FANNING, PHILLIPS AND MOLNAR



**NAVAL AIR STATION  
FORT WORTH JRB  
CARSWELL FIELD  
TEXAS**

---

**ADMINISTRATIVE RECORD  
COVER SHEET**

AR File Number 466



File: 17A-72  
P.W.

466 1 466

ENGINEERS & HYDROGEOLOGISTS

RICHARD FANNING, P.E. (1931-1984)  
KEVIN J. PHILLIPS, P.E., Ph.D.  
GARY A. MOLNAR, P.E.

9311 SAN PEDRO AVENUE  
SUITE 700  
SAN ANTONIO, TX 78216  
210/524-7737  
FAX 210/524-7738

29 April, 1999

Mr. Charles Pringle, P.E.  
Team Chief  
HQ AFCEE/ERB  
3207 North Road  
Brooks AFB, TX 78235

**Re: Revised Final Work Plan Addenda for the Risk-Based Assessment, Management, and Closure of Solid Waste Management Units (SWMUs) and Areas of Concern (AOCs) at Naval Air Station Fort Worth, Joint Reserve Base, Carswell AFB, TX AFCEE Contract No. F41624-95-D-8003-0023 - CDRL (A004)**  
**Aerospace Museum Site**  
**Golf Course Maintenance Yard**  
**Grounds Maintenance Yard**  
**Unnamed Stream**

Dear Mr. Pringle:

FPM is pleased to provide the Revised Final Work Plan Addenda for the above referenced sites for your review, if warranted, and records. These revised final versions incorporate all comments received from AFCEE, including the TNRCC/USEPA comments and verbal input from the 11 and 12 February 1999 BCT/ERA meetings. Review comment response tables are included following the cover of the plans. Table 3-1 in each of the plans provides the sampling summary in color coding to allow easy distinction between locations requiring total levels analyses and locations only requiring SPLP analyses with respect to groundwater protection. Other specific changes are as follows:

- On Table 3-1 of the AMS plan, SVOCs have been removed from the analyses at location OT3840SA after review of tables 2-1 through 2-4 determined that SVOCs is not a concern at this location.
- On Table 3-1 of the GCMY plan, nickel was removed from analyses at location TP-GCM-06K in response to TNRCC/USEPA's comments. Sample depths were revised in accordance with TNRCC/USEPA's comments resulting in the elimination of some shallower samples.

FANNING, PHILLIPS AND MOLNAR

• RONKONKOMA, NY


• ROME, NY

• SAN ANTONIO, TX


- On Table 3-1 of the GMY plan, lead analysis at OT3905SA was changed from total level analysis to SPLP analysis and the delineation around this location deleted for lead after review of Tables 2-1 through 2-4 determined that lead at this location is a only a groundwater protection issue. Also please note the last paragraph of Section 1.3.1 Project Objectives. This paragraph reiterates the discussions regarding this site that took place at the November BCT meeting regarding the continued use of this site by the Navy for the same purposes as the Air Force formerly used the site.
- In the Unnamed Stream plan, Table 3-1 was revised to eliminate delineation samples at sampling locations UN-01, UN-04, and UN-05 in accordance with TNRCC/USEPA's comments. The barium delineation samples at WP-2 were reduced due to the proximity of other sampling locations and the level of barium (9801 mg/kg) with respect to the SAI-Res which is 9100 mg/kg. The arsenic delineation samples at WP-2 were eliminated since arsenic at this location is a protection of groundwater issue only., Sampling locations (Figure 3-1), samples (Table 3-1), and text (Section 3.6) were added with respect to the French Underdrain System in response to TNRCC/USEPA's comments and discussions at the BCT/ERA meetings on February 11 and 12, 1999.

Please do not hesitate to call if you have any questions regarding these documents.

Sincerely,



Anne Le  
Project Engineer



Thomas P. Doriski  
Branch Manager

#### Enclosures

cc: Charles Pringle, AFCEE/ERB – 2 copies  
Rafael Vazquez, AFBCA – 2 copies  
Gary Miller, USEPA – 1 copy  
Mark Weegar, TNRCC – 1 copy  
Tim Sewell, TNRCC – 1 copy  
AFCEE MSI – letter and electronic copy  
HSC/PKVCC – letter only

**FINAL PAGE**

**ADMINISTRATIVE RECORD**

**FINAL PAGE**